


2RRB

2 Ağızlı Boyunlu Küre
Karbür Frezeler

2 Flutes Rib Ball End Mills



(Unit: mm)

제품코드 Product Code	직경 DC	날수 ZEP	반경 RE	날장 APMX	유효장 LU	샙크경 DCON	전장 LF
2RRB-001-002-445	0.1	2	R0.05	0.1	0.2	4	45
2RRB-001-003-445	0.1	2	R0.05	0.1	0.3	4	45
2RRB-001-005-445	0.1	2	R0.05	0.1	0.5	4	45
2RRB-002-006-445	0.2	2	R0.1	0.2	0.6	4	45
2RRB-002-010-445	0.2	2	R0.1	0.2	1	4	45
2RRB-002-015-445	0.2	2	R0.1	0.2	1.5	4	45
2RRB-002-020-445	0.2	2	R0.1	0.2	2	4	45
2RRB-003-010-445	0.3	2	R0.15	0.3	1	4	45
2RRB-003-015-445	0.3	2	R0.15	0.3	1.5	4	45
2RRB-003-020-445	0.3	2	R0.15	0.3	2	4	45
2RRB-003-025-445	0.3	2	R0.15	0.3	2.5	4	45
2RRB-003-030-445	0.3	2	R0.15	0.3	3	4	45
2RRB-004-010-445	0.4	2	R0.2	0.4	1	4	45
2RRB-004-015-445	0.4	2	R0.2	0.4	1.5	4	45
2RRB-004-020-445	0.4	2	R0.2	0.4	2	4	45
2RRB-004-025-445	0.4	2	R0.2	0.4	2.5	4	45
2RRB-004-030-445	0.4	2	R0.2	0.4	3	4	45
2RRB-004-040-445	0.4	2	R0.2	0.4	4	4	45
2RRB-004-050-445	0.4	2	R0.2	0.4	5	4	45
2RRB-005-010-445	0.5	2	R0.25	0.5	1	4	45
2RRB-005-015-445	0.5	2	R0.25	0.5	1.5	4	45
2RRB-005-020-445	0.5	2	R0.25	0.5	2	4	45
2RRB-005-025-445	0.5	2	R0.25	0.5	2.5	4	45
2RRB-005-030-445	0.5	2	R0.25	0.5	3	4	45
2RRB-005-040-445	0.5	2	R0.25	0.5	4	4	45



(Unit: mm)

제품코드 Product Code	직경 DC	날수 ZEFP	반경 RE	날장 APMX	유효장 LU	생크경 DCON	전장 LF	R-PRO	
2RRB-005-050-445	0.5	2	R0.25	0.5	5	4	45	H-PRO	
2RRB-005-060-445	0.5	2	R0.25	0.5	6	4	45		
2RRB-005-080-445	0.5	2	R0.25	0.5	8	4	45		
2RRB-006-020-445	0.6	2	R0.3	0.6	2	4	45	A-PRO	
2RRB-006-030-445	0.6	2	R0.3	0.6	3	4	45		
2RRB-006-040-445	0.6	2	R0.3	0.6	4	4	45		
2RRB-006-050-445	0.6	2	R0.3	0.6	5	4	45	X-PRO	
2RRB-006-060-445	0.6	2	R0.3	0.6	6	4	45		
2RRB-006-080-445	0.6	2	R0.3	0.6	8	4	45		
2RRB-006-100-445	0.6	2	R0.3	0.6	10	4	45	SUS MILL	
2RRB-008-020-445	0.8	2	R0.4	0.8	2	4	45		
2RRB-008-030-445	0.8	2	R0.4	0.8	3	4	45		
2RRB-008-040-445	0.8	2	R0.4	0.8	4	4	45	S-PRO	
2RRB-008-050-445	0.8	2	R0.4	0.8	5	4	45		
2RRB-008-060-445	0.8	2	R0.4	0.8	6	4	45		
2RRB-008-080-445	0.8	2	R0.4	0.8	8	4	45	D-PRO	
2RRB-008-100-445	0.8	2	R0.4	0.8	10	4	45		
2RRB-008-120-445	0.8	2	R0.4	0.8	12	4	45		
2RRB-010-030-445	1.0	2	R0.5	1	3	4	45	A-PLUS	
2RRB-010-040-445	1.0	2	R0.5	1	4	4	45		
2RRB-010-050-445	1.0	2	R0.5	1	5	4	45		
2RRB-010-060-445	1.0	2	R0.5	1	6	4	45	AL-PRO	
2RRB-010-070-445	1.0	2	R0.5	1	7	4	45		
2RRB-010-080-445	1.0	2	R0.5	1	8	4	45		
2RRB-010-090-445	1.0	2	R0.5	1	9	4	45	AL MILL	
2RRB-010-100-445	1.0	2	R0.5	1	10	4	45		
2RRB-010-120-445	1.0	2	R0.5	1	12	4	45		
2RRB-010-140-450	1.0	2	R0.5	1	14	4	50	ABS	
2RRB-010-160-450	1.0	2	R0.5	1	16	4	50		
2RRB-010-180-450	1.0	2	R0.5	1	18	4	50		
2RRB-010-200-450	1.0	2	R0.5	1	20	4	50	MICRO GRAIN	
2RRB-012-040-445	1.2	2	R0.6	1.2	4	4	45		
2RRB-012-060-445	1.2	2	R0.6	1.2	6	4	45		
2RRB-012-080-445	1.2	2	R0.6	1.2	8	4	45	MULTI	
2RRB-012-100-445	1.2	2	R0.6	1.2	10	4	45		
2RRB-012-120-445	1.2	2	R0.6	1.2	12	4	45		
2RRB-015-040-445	1.5	2	R0.75	1.5	4	4	45	Technical data	
2RRB-015-060-445	1.5	2	R0.75	1.5	6	4	45		
2RRB-015-080-445	1.5	2	R0.75	1.5	8	4	45		



KALIP TEKNİK

(Unit: mm)

	R-PRO	제품코드 Product Code	직경 DC	날수 ZEFP	반경 RE	날장 APMX	유효장 LU	생크경 DCON	전장 LF
		2RRB-015-100-445	1.5	2	R0.75	1.5	10	4	45
	H-PRO	2RRB-015-120-445	1.5	2	R0.75	1.5	12	4	45
		2RRB-015-140-450	1.5	2	R0.75	1.5	14	4	50
		2RRB-015-160-450	1.5	2	R0.75	1.5	16	4	50
	A-PRO	2RRB-015-180-450	1.5	2	R0.75	1.5	18	4	50
		2RRB-015-200-450	1.5	2	R0.75	1.5	20	4	50
		2RRB-020-060-445	2.0	2	R1.0	2	6	4	45
	X-PRO	2RRB-020-080-445	2.0	2	R1.0	2	8	4	45
		2RRB-020-100-445	2.0	2	R1.0	2	10	4	45
		2RRB-020-120-445	2.0	2	R1.0	2	12	4	45
	SUS MILL	2RRB-020-140-450	2.0	2	R1.0	2	14	4	50
		2RRB-020-160-450	2.0	2	R1.0	2	16	4	50
		2RRB-020-180-450	2.0	2	R1.0	2	18	4	50
	S-PRO	2RRB-020-200-450	2.0	2	R1.0	2	20	4	50
		2RRB-020-250-460	2.0	2	R1.0	2	25	4	60
		2RRB-020-300-470	2.0	2	R1.0	2	30	4	70
	D-PRO	2RRB-025-080-445	2.5	2	R1.25	2.5	8	4	45
		2RRB-025-100-445	2.5	2	R1.25	2.5	10	4	45
		2RRB-025-120-445	2.5	2	R1.25	2.5	12	4	45
	A-PLUS	2RRB-025-160-450	2.5	2	R1.25	2.5	16	4	50
		2RRB-025-200-450	2.5	2	R1.25	2.5	20	4	50
		2RRB-030-080-650	3.0	2	R1.5	3	8	6	50
	AL-PRO	2RRB-030-100-650	3.0	2	R1.5	3	10	6	50
		2RRB-030-120-650	3.0	2	R1.5	3	12	6	50
		2RRB-030-140-660	3.0	2	R1.5	3	14	6	60
	AL MILL	2RRB-030-160-660	3.0	2	R1.5	3	16	6	60
		2RRB-030-180-660	3.0	2	R1.5	3	18	6	60
		2RRB-030-200-660	3.0	2	R1.5	3	20	6	60
	ABS	2RRB-030-250-665	3.0	2	R1.5	3	25	6	65
		2RRB-030-300-670	3.0	2	R1.5	3	30	6	70
		2RRB-030-350-680	3.0	2	R1.5	3	35	6	80
	MICRO GRAIN	2RRB-040-100-650	4.0	2	R2.0	4	10	6	50
		2RRB-040-120-650	4.0	2	R2.0	4	12	6	50
		2RRB-040-160-660	4.0	2	R2.0	4	16	6	60
	MULTI	2RRB-040-200-660	4.0	2	R2.0	4	20	6	60
		2RRB-040-250-665	4.0	2	R2.0	4	25	6	65
	Technical data	2RRB-040-300-670	4.0	2	R2.0	4	30	6	70
		2RRB-040-350-680	4.0	2	R2.0	4	35	6	80
		2RRB-040-400-680	4.0	2	R2.0	4	40	6	80



(Unit: mm)

제품코드 Product Code	직경 DC	날수 ZEFP	반경 RE	날장 APMX	유효장 LU	생크경 DCON	전장 LF
2RRB-050-120-650	5.0	2	R2.5	5	12	6	50
2RRB-050-300-670	5.0	2	R2.5	5	30	6	70
2RRB-060-150-660	6.0	2	R3.0	7	15	6	60
2RRB-060-200-660	6.0	2	R3.0	7	20	6	60
2RRB-060-300-670	6.0	2	R3.0	7	30	6	70
2RRB-080-150-865	8.0	2	R4.0	8	15	8	65
2RRB-080-200-860	8.0	2	R4.0	8	20	8	60
2RRB-080-300-880	8.0	2	R4.0	8	30	8	80
2RRB-100-200-A60	10.0	2	R5.0	10	20	10	60
2RRB-100-250-A70	10.0	2	R5.0	10	25	10	70
2RRB-100-350-AA0	10.0	2	R5.0	10	35	10	100
2RRB-120-300-C80	12.0	2	R6.0	12	30	12	80
2RRB-120-400-CB0	12.0	2	R6.0	12	40	12	110

R-PRO	
H-PRO	
A-PRO	
X-PRO	
SUS MILL	
S-PRO	
D-PRO	
A-PLUS	
AL-PRO	
AL MILL	
ABS	
MICRO GRAIN	
MULTI	
Technical data	